

**HAMILTON COUNTY PUBLIC WORKS RULES AND REGULATIONS
GOVERNING THE
DESIGN, CONSTRUCTION, OPERATION, MAINTENANCE, AND USE
IN THE
COUNTY OF HAMILTON STORM DRAINAGE SYSTEM**

**Adopted January 10, 2007
By The Board Of Hamilton County Commissioners
Effective January 17, 2007**

**Issued by the Board of Hamilton County Commissioners
Hamilton County, Ohio**

TABLE OF CONTENTS

VOLUME I

**Rules and Regulations for the Construction, Operation, Maintenance and use of
the Storm Drainage System of Hamilton County, Ohio.**

Articles	Page No.
ARTICLE I Definitions (ST 101 thru ST 157)	1
ARTICLE II Control of Storm Sewers (ST 201 thru ST 208)	10
ARTICLE III General Policy (ST 301 thru ST 313)	12
ARTICLE IV Improvement Plans	16
ST 401 General	16
ST 402 Preparation of Subdivision Improvement Plans	16
ST 403 Flood Plain Limits in the Special Flood Hazard Areas	17
ST 404 Grading of Sites and Improvements	18
ST 405 Detention and/or Retention Basins	18
ST 406 Easements, Plats and Right-of-Entry Agreements	19
ST 407 Relation of Development to Existing Watercourse and Drainage Channels	22
ST 408 Relation of Development Between Existing Watercourses, Drainage Channels and Proposed Roadways	23
ST 409 Storm Sewer Profiles	23
ST 410 Datum for Elevations	24
ST 411 Grading Permit	24
ST 412 Grading Plan	24
ST 413 Cut and Fill Slopes	24
ST 414 Temporary Erosion and Sediment Control	24
ST 415 Compaction of Fills	26
ST 416 Mud and Debris	26

ST 417 Restrictions on Filling in Flood Plain Areas Within the Special Flood Hazard Areas	26
ST 418 Flood Damage Prevention Regulations	27
ST 419 "As-Built" Floor Elevations Within Flood Hazard Area	27
ARTICLE V Maintenance of the County Storm Sewer System (ST 501 thru ST 502)	28
ARTICLE VI Unpolluted Waste Water (ST 601 thru ST602)	29

VOLUME II

Rules and Regulations governing minimum design standards for the Storm Drainage System of Hamilton County, Ohio.

Articles	Page No.
ARTICLE VII Basic Design Criteria for Storm Sewers , Appurtenant Structures, Detention and Retention Basins	30
ST 701 Degree of Protection	30
ST 702 Determination of Quantity of Runoff	30
a) Rational Method for drainage areas not exceeding 200 acres	30
b) Compare the Rational Method and the State of Ohio Bulletin 45 Method to obtain peak runoff for drainage areas exceeding 200 acres.	31
c) Runoff Coefficients	31
d) Intensity of Precipitation	32
e) Time of Concentration (Storm Duration)	33
ST 703 Pipe Capacity and Design	33
ST 704 Minimum Pipe Size	34
ST 705 Minimum and Maximum Velocities	34
a) Minimum Velocity	34
b) Maximum Velocity for publicly and privately maintained storm sewer systems	34
ST 706 Gradients of Pipe	34
ST 707 Hydraulic Gradients	34
ST 708 Manholes	35
ST 709 Building, Parking Lot or Other Private Storm Drain Connections to Publicly Maintained Storm Sewer Systems	36
ST 710 Catch Basins, Inlets and Outlets	36
a) General	36
b) Design Criteria and Other Requirements for the CB-3A, CB-3, (CB3-M, Plate (12), (Catch Basin-Manhole CB-3MH, Plate 9)	37
c) Design Criteria and Other Requirements for the CB2-2-A, CB2-2-B, CB2-3, CB2-4, CB2-5, and CB2-6 (off road catch basins)	38
d) Requirements Relating to Surface Flow Between Residential Homes or Other Type Buildings	39

e) Requirements Relating to Surface Flow Onto a Public Roadway	39
f) Requirements for Submitting Storm Drainage Calculations to Determine Whether Flooding of Any Building Will Occur	39
g) Requirements for Modifying Standard State of Ohio Catch Basins and/or Inlets in New Developments	39
h) Various Other Requirements for Catch Basin and/or Inlets Proposed In Private Developments	40
ST 711 Detention Basin Design Criteria	41
a) General	41
b) Special	41
c) State of Ohio Permit for Construction of Dams	42
d) Plans, Drainage Area Maps, Design Calculations, etc.	42
e) Formulas to be Used to Obtain Discharge (Q)	43
f) Determining Adjusted Pre-Development Runoff Coefficient c_3	43
g) Determining Adjusted Post-Development Runoff Coefficient c_6	44
h) Determining Time of Concentration as Defined in EXHIBIT NO. 33 for tc_{10} and tc_{50}	45
i) Allowable Release Rates and Storage Volume Requirements	45
j) Release Structures	45
k) NOT USED	47
l) Maximum Release Rate	48
m) NOT USED	51
n) NOT USED	51
o) Emergency Spillway (refer to EXHIBIT NO. 34)	52
p) Detention Basin Construction	55
q) Parking Lot Detention Basin	58
r) Other Type Detention Basins	59
s) Miscellaneous Items	59
t) As-built for Detention / Retention Basins	59
ST 712 Retention Basin Design Criteria	60
a) General	60
b) Allowable Release Rates and Storage Volume Requirements	60
c) Release Structures/s	60
d) Primary Spillway System	61
e) Maximum Release Rate	61
f) Emergency Spillway	61
g) Retention Basin Construction	61
h) Miscellaneous Items	62
ST 713 Specifications for Construction and Materials	62
ARTICLE VIII Basic Design Criteria for Storm Water Open Channels, Culverts, and Bridges	66
ST 801 General	66
ST 802 Degree of Protection	66
ST 803 Determination of Quantity of Runoff	67
ST 804 Open Channel Capacity and Other Controls	67
ST 805 Ditch Design Criteria	69

a) Velocity	69
b) Roughness	70
c) Depth of Flow	71
ST 806 Open Channel Alterations or Relocation	71
ST 807 Swales, Ditches, Gutters (Paved and Unpaved)	72
ST 808 Emergency Overflow Ditches Required at Low Point Cul-de-Sacs, Low Sag Areas	72
ST 809 Culvert Design Criteria and Controls	73
ST 810 Inlet Controls Placed in Open Channels	74
ST 811 Outlet Controls in Open Channels	76
ST 812 Large Culverts and Bridges	79
ST 813 Bride Openings in Consoer-Townsend Streams	81
ST 814 Specifications for Construction and Material	83
ARTICLE IX Basic Design Criteria for Storm Water Pump Stations Located Outside of Special Flood Hazard Areas	
	84
ST 901 Drawings	84
ST 902 Design Criteria	84
a) Type	84
b) Structures	84
c) Pumps	84
d) Water Supply	85
e) Power	85
f) Construction	85
ARTICLE X Storm Sewer Placement	
	86
ST 1000 Storm Sewer Placement	86
ST 1001 "As-Built" For Storm System	86

VOLUME III

Rules and Regulations governing Improvement Plan review procedures, inspection of construction and costs relating thereto for the Storm Drainage System of Hamilton County, Ohio.

Articles	Page No.
ARTICLE XI Improvement Plan Review Procedures	87
ST 1101 General	87
ST 1102 Concept Review	87
a) Letter or Transmittal form (SDS Application) Requirements	87
b) Preliminary Site Development Information to be provided	88
ST 1103 Concurrent Concept and Detailed Construction Drawing Review	89
a) Letter or Transmittal Form (SDS Application) Requirements	89
b) Preliminary and Detailed Construction Drawing	90
c) Review Procedures	90
ST 1104 Detailed Construction Drawing Review	90
a) Review Procedures for Various Types of Developments	90
b) Transmittal Form and SDS Application Requirements	91
c) Detailed Construction Drawing Information to be provided	92
d) Flood Study Information to be provided	92
e) Detention and/or Retention Basin Information to be provided	92
f) Submitting Design Calculations and Studies	93
ST 1105 Review/Initial Site Inspection Fees	94
a) Billing Procedure	94
b) Billing Procedure for Accounts Not Paid In Full	94
c) Billing Procedure for Revised Plans that Were Previously Reviewed	94
ST 1106 Review Expiration Date	95
ARTICLE XII Inspection of Construction	96
ST 1201 Inspection of Construction	96
a) Storm Drainage Systems to be Publicly Maintained	96
b) Private Drainage Connections to a Publicly Maintained System	96
c) Inspection of Private Storm Drainage Systems	96
d) Periodic Inspection of Other Private Storm Drainage Systems	97
e) Final Inspection and Establishing Bond Amount	97
ST 1202 Construction Inspection Fees	97
a) Applicant Responsibility for Payment of Inspection	97
b) Procedure for Delinquent Payment	97

VOLUME IV

Rules and Regulations governing Appeals and Requests for Variances from Articles I through XII of these Rules and Regulations.

Articles	Page No.
ARTICLE XIII Board of Storm Drainage Variance and Appeals	99
ST 1301 Members of the Board	99
ST 1302 Appointments	99
ST 1303 County Employees to Assist the Board	99
ARTICLE XIV Powers of the Board	100
ST 1401 Variances and Appeals	100
ST 1402 Determination of the Board	102
ARTICLE XV Rules for the Conduct of Business	103
ST 1501 Adopting Rules	103
ST 1502 Appeals or Requests for Variance	103
ST 1503 Notice of Appeal or Request for a Variance	103
ARTICLE XVI Court of Common Pleas	104
ST 1601 Court of Common Pleas	104

EXHIBITS	
Exhibit Number	Page No.
1 Storm Drainage Notes	105
2 SDS Application Form	112
3 Check List Design Aid For New Developments	113
4 Charts and Computation Information Sheet	115
5 Overland Flow Chart	116
6 Nomograph for Solution of the Manning Formula	117
7 Nomograph for Solution of the Manning Formula	118
8 Storm Sewer Computation Sheet A (Example)	119
8 Storm Sewer Computation Sheet A	120
9 Storm Sewer Computation Sheet B	121
10 Pavement Drainage Computation Sheet	122
11 Catch Basin Design Sheet	123
11.1 Catch Basin Design Sheet - Optional	124
12 Private Storm Water Detention/Retention Maintenance Checklist	125
13 NOT USED	-
14 NOT USED	-
15 Capacity of Std. CB-3A, CB-3, CB3-M, or CB-3-MH Grates in Pavement Sags	126
16 Capacity of Std. CB-3A, CB-3, CB3-M, or CB-3-MH Curb Openings in Pavement Sags	127
17 Capacity of Catch Basins with No Clogging	128
18 Capacity of Catch Basins with No Clogging	129
19 Capacity of Catch Basins with No Clogging	130
20 Bulletin 45 Computation Sheet (Sheet No. 1)	131
20 Bulletin 45 Computation Sheet (Sheet No. 2)	132
20 Bulletin 45 Computation Sheet (Sheet No. 3)	133
20 Bulletin 45 Computation Sheet (Sheet No. 4)	134
21 Entrance Loss Coefficients, Outlet Control, Full or Partly Full Entrance Head Loss	135
22 Headwater Depth for Concrete Pipe Culverts with Inlet Control	136
23 Headwater Depth for Box Culverts with Inlet Controls	137
24 Head for Concrete Pipe Culverts Flowing Full $n = .012$	138
25 Head for Concrete Box Culverts Flowing Full $n = .012$	139
26 Headwater Depth for C.M. Pipe Culverts with Inlet Control	140
27 Head for Standard C.M. Pipe Culverts Flowing Full $n = .024$	141
28 Culvert Design Form	142
29 Typical Alternate Culvert Design	143
30 Item 601, Rock Channel Protection at Culvert and Storm Sewer Outlets and Inlets	144
31 Energy Dissipater - Stilling Basin Type	145
32 Open Channel Symbols, Equations, and Geometric Formulas	146
33 Detention/Retention Basin Computation Sheet (Sheet Nos. 1 thru 3)	147
34 Detention Basin Controls (Sheet No. 1)	148
34 Detention Basin Controls (Sheet No. 2)	149
34 Detention Basin Controls (Sheet No. 3)	150
34 Detention Basin Controls (Sheet No. 4)	151
34 Detention Basin Controls (Sheet No. 5)	152
35 Resolution Adopting Flood Damage Prevention Regulations	153
36 Low Floor Elevation Certification Letter	169

PLATES

Plate Number	Page No.
1 Pipe Bedding	170
2 Reinforced Concrete Junction Chamber	171
3 Straw Bale Dike	172
4 Sloped Headwall	173
5 Wing wall Headwall	174
6 Requirements for Storm water Channels	175
7 Storm water Channel Requirements	176
8 Requirements for Storm water Channels	177
9 Catch Basin-Manhole CB-3-MH	178
10 Standard Drawing CB-3M, Standard Drawing CB-3D	179
11 Key Block, Anti-seep Collar	180
12 Concrete Collars on Conduits	181
13 Rainfall Intensity – Duration – Frequency Curve Chart	182